

INDEX MAPS.

T.16N R.2W 2nd Mer.

	122	122	121	121	121	121	121					
124	6	148	5	142	4	137	3	133	2	128	1	120
	148		147		142		137		133		128	
124	7	147	8	141	9	137	10	132	11	128	12	120
	147		146		141		136		132		127	
124	18	146	17	140	16	135	15	131	14	127	13	120
	145		145		140		135		131		126	
123	19	145	20	139	21	135	22	131	23	126	24	119
	144		144		139		135		130		126	
123	30	143	29	139	28	134	27	130	26	125	25	119
	143		143		138		134		129		125	
123	31	142	32	138	33	133	34	129	35	125	36	119
	118		118		117		117		117		117	

T.1N R.3W 2nd Mer.

	¹⁵⁸ 185	¹⁵⁸ 184	¹⁵⁸ 184	¹⁵⁸ 184	¹⁵⁸ 184	¹⁵⁷ 184	¹⁵⁷ 183	¹⁵⁷ 184	¹⁵⁷ 183	¹⁵⁷ 184		
160	6	180	5	181	4	183	3	182	2	182	1	156
	180		180		179		181		182		183	
160	7	185	8	179	9	179	10	181	11	175	12	156
	178		178		178		176		175=175		175	
155	18	177	17	176	16	174	15	174	14	172	13	156
	177		177		176=177		174		173		172=173	
154	19	170	20	169	21	173	22	171	23	171	24	155
	169		169=170		168=170		170=172		171=172		172	
159	30	167	29	168	28	168	27	165	26	164	25	154
	167		166=167		166=168		163=165		163=165		164	
159	31	166	32	166	33	161	34	163	35	164	36	153
	153		152		152		152		151		151	

The figures on the lines refer to the page.

ch. lks.

South Boundary or Base Line

West On S. boundary of Sec 36

8.10 a Beech 10 in. diam.

33.10 a Brook 15 lks. wide Course N.

35.00 a Beech 30 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 40 in. diam. bears S 49° W 44 lks. dist. of

a Beech 16 " " " N 32° W 54 " "

48.70 a W. Oak 24 " "

69.10 a Deep rocky Gully Course N.E.

70.16 a Beech 10 in. diam.

80.00 Set post Corner to Sec. 35 & 36, from which

a Beech 12 in. diam. bears S 10° E 18 lks. dist. of

a Poplar 20 " " " N 20° E 24 " "

This mile steep hills, stony soil, timber Beech, Poplar
Some Sugar, Oak &c. Much Spruce undergth

West On S. Boundary of Sec. 35

5.60 a Poplar 36 in. diam.

8.10 a Deep rocky gully Course N.

14.94 a Beech 12 in. diam.

35.10 Rocky hills Steep

38.40 a Brook 6 lks. wide Course C. N.

40.00 Set of Sec. post, from which

a Beech 10 in. diam. bears N 31° E 9 1/2 lks. dist. of

a Do 10 " " " S 75° W 22 " "

44.14 a W. Ash 12 " "

52.96 a W. Oak 18 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

a Beech 14 in. diam. bears S 37 1/2° E 12 1/2 lks. dist. of

a Do. 14 " " " N 50° W 44 " "

First part steep hills, stony soil - last part ridges and
soil middling, timber Beech, Poplar, Sugar, Oak Open woods

T. N. R. 3 N. 2. Mer. Indiana

cho. lks.

and free from undergrowth.

Nest On S. boundary of Sec. 34

4. 70 a Brook 10 lks. wide Course N.W.

23. 46 a Beech 14 in. diam.

40. 00 Set gr. Sec. post, from which
a Sugar 12 in. diam. bray S 32 1/2 E 8 lks. dist. of
a Beech 24 " " " N 7 1/2 E 17 " "

44. 40 a Brook 12 lks. wide Course N 20 W

51. 40 a W. Oak 18 in. diam.

80. 00 Set post Cor. to Sec. 33 & 34, from which
a Beech 12 in. diam. bray N 20 W 15 lks. dist. of
a Do. 20 " " " S 21 W 29 " "This mile first 1/2 ridge land - last 1/2 more hilly
timber Beech, some Oak, Hickory & gum Soil
muddling, but little undergth.

Nest On S. boundary of Sec. 33

7. 80 a Beech 12 in. diam.

26. 90 a Sycamore 48 " "

27. 80 a Beech 40 " "

40. 00 Set gr. Sec. post, from which
a W. Oak 18 in. diam. bray N 50 1/2 E 29 lks. dist. of
a Do. 18 " " " S 67 W 35 " "

70. 20 a Beech 20 " "

80. 00 Set post Cor. to Sec. 32 & 33, from which
a Beech 30 in. diam. bray N 83 E 45 lks. dist. of
a Do. 14 " " " S 6 W 13 " "This mile hilly, timber Beech, Oak & Gum, Dogw.
undergth. Soil poor & stony

Nest On S. boundary of Sec. 32

10. 60 Saltlick Creek 80 lks. wide Cr. N 25 E, lively water

St. R 3 W. 2nd Mer. Indiana

153

ch^d l^{ts}

35.48 a Beech 14 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 15 in. diam. bray S 71 E 15 l^{ts}. dist. of
a Do. 10 " " " N 47 W 29 " "

43.90 a Brook 8 l^{ts} wide Course N.

51.90 a Beech 16 in. diam.

62.36 a W. Oak 14 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 18 in. diam. bray S 77 W 28 l^{ts}. dist. of
a Hickory 24 " " " N 83 E 43 " "

This mile hilly high, timber Beech, Ash & some
Poplar. Open wood, soil poor on the top of the
hilly sides and valleys good.

West On S. boundary of Sec. 31

17.00 to where begin to descend a hill, ledge of rocks

40.00 Set q^r. Sec. post, from which
a Beech 18 in. diam. bray S 80 W 38 l^{ts}. dist. of
a Do. 16 " " " N 57 E 59 " "

66.32 a Poplar 30 " "

80.00 Set post Cor. to Townships N. 1 & 18, Range N.

3 & 4 West 2nd Mer. from which

a Gum 30 in. diam. bray N 15 W 9 l^{ts}. dist. of
a Beech 10 " " " S 18 E 26 " "

This post stands in bottom, this mile first part
hilly & rocky - last part Beech timbered bottom
Some starker, not good bottom land.

Oct. 1874 Surveyed by E. Buckingham, L. S.

East Boundary

North On E. boundary of Sec. 36

33.00 a Creek 50 l^{ts}. wide S.W. good hill land

40.00 Set q^r. Sec. post, from which

T. N. R. 3 W. 2^d. Mer. Indiana
Ch. lks.

- a Sugar 14 in. diam. beam S 9 W 16 lks. dist. of
a Do. 9 " " " N 51 E 8 " "
45.00 rich Sugar bottom of first quality
80.00 Set post Cor. to Sec. 25 & 36, from which
a Sugar 9 in. diam. beam N 71 E 14 lks. dist. of
a Do. 14 " " " S 68 W 39 " "
First rate hill land, timber Sugar, Beech &c

North On E. boundary of Sec. 25

- 17.40 a Beech 10 in. diam.
30.58 a Do. 17 " "
35.50 a Drain 15 lks. Cr. S. W.
40.00 Set q. Sec. post, from which
a Beech 20 in. diam. beam N 68 W 19 lks. dist. of
a Do. 24 " " " N 63 E 35 " "
42.00 Road to Vincennes Course S 70 E
50.50 a Creek 30 lks. wide Cr. S. W. Steep hills, Beech, timber
60.50 a Do. 16 " " " S. E.
65.11 a Beech 18 in. diam.
71.32 a Do 17 " " bottom land
80.00 Set post Cor. to Sec. 24 & 25, from which
a Beech 16 in. diam. beam N 25 W 23 lks. dist. of
a Do. 10 " " " S 12 W 26 " "
Stony hill land, timber Beech
(for continuation of this line see page 155)

North On E. boundary of Sec. 24, T. 1 N. R. 24 W

- 9.60 a W. Oak 16 in. diam.
12.00 a Drain 12 lks. wide Cr. S. W.
25.40 a Beech 16 in. diam.
40.00 Set q. Sec. post, from which
a W. Oak 14 in. diam. beam S 14 W 17 lks. dist. of
a B. Oak 19 " " " N 30 W 23 " "
60.60 a Beech 12 " "

S. N. 123 W. 2^d Mer. Indiana

ch. lks.

- 67.19 a Gum 17 in. diam. S. N. 124 W
 80.00 Set post Cor. to Sec. 13 & 24 from which
 a Beech 10 in. diam. bears N 51 W 13 lks. dist. of
 a Gum 16 " " " S 27 E 19 " "
 Good soil, lies well for farming, timber Oak & Beech

North On E. boundary ^(West Boundary) of Sec. 13, S. N. 124 W

- 1.83 a W. Oak 36 in. diam.
 16.57 a Do. 24 " "
 38.00 down steep rocks 50 feet (Perpendicular)
 40.00 Set gr. Sec. post, from which
 a Beech 16 in. diam. bears S 23 W 36 lks. dist. of
 a Logwood " " " S 80 E 23 " "
 67.61 a Beech 16 " "
 80.00 Set post Cor. to Sec. 12 & 13, from which
 a Beech 10 in. diam. bears N 63 W 7 lks. dist. of
 a Do. 10 " " " S 35 E 22 " "
 Sand hilly (Middling Soil) timber Beech, Oak &c.

West Boundary

North on E. boundary of Sec. 24, S. N. 123 W

- 10.86 a Beech 12 in. diam.
 18.03 a Sugar 16 " "
 40.00 Set gr. Sec. post, from which
 a Poplar 42 in. diam. bears South 43 lks. dist. of
 a Do 10 " " " N 38 W 16 " "
 49.75 a Do 10 " "
 77.26 a W. Oak 34 " "
 80.00 Set post Cor. to Sec. 13 & 24, from which
 a Hickory 14 in. diam. bears S 74 W 21 lks. dist. of
 a Logwood " " " N 81 E 18 " "
 First 1/2 mile, 1st rate bottom - residue high dividing
 ridge thin soil

T. N. R 3 W. 2. Mer. Indiana

Ch. lky

North On E. boundary of Sec 13, T. N. R 3 W

7.43 a Beech 16 in. diam.

29.00 a Brook 8 lks. wide Cr. West

35.94 a Sugar 16 in. diam.

40.00 Set q. Sec. post, from which
a Beech 10 in. diam. bear S 44 E 12 lks. dist. of
a do. 10 " " " S 72 W 22 " "

48.93 a Gum 10 in. diam.

61.56 a Poplar 10 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 14 in. diam. bear S 33 E 44 lks. dist. of
a do. 14 " " " N 75 W 19 " "

Sand hilly middling soil, timber Beech, Gum & Poplar.

North On E. boundary of Sec. 12, T. N. R 3 W

7.17 a Beech 14 in. diam.

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bear S 82 W 23 lks. dist. of
a do. 14 " " " S 70 E 16 " "

48.31 a do 14 " "

51.78 a Poplar 24 " "

68.32 a Beech 10 " "

80.00 Set a post Cor. to Sec. 11, 12, from which
a Beech 18 in. diam. bear S 80 W 14 lks. dist. of
a Gum 18 " " " N 13 E 13 " "High dividing ridge, middling soil, timber Oak,
Beech, Hognwood

North On E. boundary of Sec. 1, T. N. R 3 W

1.34 a W. Oak 18 in. diam.

14.44 a Beech 16 " "

40.00 Set q. Sec. post, from which
a Beech 8 in. diam. bear N 86 W 17 lks. dist. of

ch. lks.

- an Elm 14 in. diam. bray East 31 lks. dist.
 68.48 a Sugar 12 " " "
 75.00 Steep broken hills to bottom
 80.00 Set post Cor. to Towns 1 & 2 North, Range 2 & 3
 West 2. Mer. from which
 a Beech 12 in. diam. bray S 28 E 14 lks. dist. of
 a do. 17 " " " West 33 " "
 Good bottom land, timber Beech &c.

North Boundary

- West On S. boundary of Sec. 36, T 2 N. R 3 W
 8.00 a Brook 16 lks. wide Cr. N 20 E bottom land
 40.00 Set gr. Sec. post, from which
 a W. Oak 20 in. diam. bray S 51 W 34 lks. dist. of
 a do. 16 " " " N 25 E 43 " "
 50.75 a Brook 12 lks. wide Course N.
 80.00 Set post Cor. to Sec. 35 & 36, T 2 N. R 3 W, from which
 a Sugar 9 in. diam. bray N 53 W 27 lks. dist. of
 a B. Oak 30 " " " S 53 E 7 " "
 Good soil of hill land, timber Oak, Beech &c.

- West On S. boundary of Sec 35, T 2 N. R 3 W
 40.00 Set gr. Sec. post, from which
 a Sugar 14 in. diam. bray S 11 W 28 lks. dist. of
 a do. 14 " " " N 33 E 29 " "
 79.75 Intersected the N & S. line (between Sec. 2 & 3, T 1 N. R 3 W)
 80.00 Set post Cor. to Sec. 34 & 35, T 2 N. R 3 W, from which
 a Beech 16 in. diam. bray N 42 W 42 lks. dist. of
 a do. 12 " " " S 33 W 18 " "
 Level good hill land, timber Oak, Beech, Poplar &c.

- West On S. boundary of Sec. 34, T 2 N. R 3 W
 13.50 a Brook 16 lks. wide Course North

T. N. R. 3 W. 2. Mer. Indiana

ch. l. lks.

28.50 a Brook 12 lks. wide Course N 20 E.

40.00 Set gr. Sec. post, from which

a W. Oak 14 in. diam. bray N 25 E 25 lks. dist. of

a Do. 10 " " " S 73 W 22 " "

79.83 Intersected N & S. line (betw. 3 & 4, T. N. R. 3 W.)

80.00 Set post Cor. to Sec. 33 & 34, T. N. R. 3 W., from which

a W. Oak 14 in. diam. bray N 44 W 4 lks. dist. of

a Beech 6 " " " S 71 E 10 " "

Sandy hilly middling soil, timber Oak, Beech &c.

November 27th 1864

West On S. boundary of Sec. 33, T. N. R. 3 W.

12.00 a Brook 7 lks. wide Course North

40.00 Set gr. Sec. post, from which

a W. Oak 10 in. diam. bray N 56 W 6 lks. dist. of

a W. Ash 10 " " " S 38 E 21 " "

80.00 Set post Cor. to Sec. 32 & 33, T. N. R. 3 W., from which

a W. Ash 7 in. diam. bray N 10 E 22 lks. dist. of

a Do. 12 " " " S 34 W 12 " "

High hill land, good soil, timber Oak, Beech, ^{the} Sugar, &c.

West On S. boundary of Sec. 32, T. N. R. 3 W.

40.00 Set gr. Sec. post, from which

a Maple 12 in. diam. bray N 14 W 23 lks. dist. of

a W. Oak 16 " " " S 9 W 14 " "

80.00 Set post Cor. to Sec. 31 & 32, T. N. R. 3 W., from which

a Sugar 10 in. diam. bray N 33 W 10 lks. dist. of

a Beech 7 " " " S 5 E 11 " "

Sandy hilly middling soil timber Oak, Beech &c.

West On S. boundary of Sec. 31, T. N. R. 3 W.

3.00 a small stream Course South

38.50 a run 4 lks. wide Course South

Ch. lks.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. diam. - bear N 47° W 9 lks. dist. of
 a do. 11 " " " S 32° E 7 " "
 79.98 Intersected the Range line 15 lks. South of temp.
 post, set post Cor. to Township 1 & 2 North, of
 Range 3 & 4 West, from which
 a W. Oak 11 in. diam. - bear S 33° E 12 lks. dist. of
 a B. Walnut 18 " " " West 14 " "
 Good Soil of hill land, timber Oak, Beech, Sugar &c.

West Boundary
 North On E. boundary of Sec. 36, T. N. R. 4th W
 13.00 a Creek 150 lks. wide C. S. W. very deep low bottom land
 27.00 a Brook 12 " " " S. E
 37.00 Bottom land (middling Soil)
 39.49 a Beech 10 in. diam.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. diam. - bear N 16° W 22 lks. dist. of
 a do. 9 " " " S 9° E 18 " "
 42.30 a Beech 14 " "
 80.00 Set post Cor. to Sec. 25 & 36, T. N. R. 4th W, from which
 a Hickory 10 in. diam. - bear S 60° W 16 lks. dist. of
 a W. Oak 8 " " " N 36° E 18 " "
 Middling Soil of hill land, timber Oak, Beech &c.

North On E. boundary of Sec. 25, T. N. R. 4th W
 0, 94 full 11 lks. West of Rand. post, set post Cor. to Sec.
 30 & 31, T. N. R. 3rd W, from which
 a W. Oak 17 in. diam. - bear S 14° E 18 lks. dist. of
 a do. 12 " " " N 65° W 21 " "
 8.50 a Sugar 16 " "
 23.93 Road to Vincennes
 25.12 a Beech 10 in. diam.

T. N. R. 3 W. 2. Mer. Indiana

Ch. lks.

- 40.00 Set q. Sec. post, from which
a W. Oak 16 in. diam. - bear S 73 E 31 lks. dist. of
a Do. 16 " " " N 41 W 34 " "
- 55.30 a W. Oak 16 " "
- 68.44 a Beech 9 " "
- 78.50 a Small drain Course West
- 80.00 Set post Cor. to Sec. 24 & 25, T. N. R. 4 W., from which
a Beech 15 in. diam. - bear N 37 E 37 lks. dist. of
a Do. 15 " " " S 54 W 4 " "
- Steep hills, inequality of soil, timber Oak, Beech &c.

For the E. boundary of Sec. 24 & 13, See pages
154 & 155 in this Vol.

North On E. boundary of Sec. 12, T. N. R. 4 W

- 5.68 a W. Oak 13 in. diam.
- 24.44 a B. Oak 18 " "
- 32.00 poor hill land to bottom
- 38.00 a Creek 40 lks. wide Course N. W.
- 40.00 Set q. Sec. post, from which
a Hickory 16 in. diam. - bear S 85 W 10 lks. dist. of
an Elm 10 " " " N 61 E 13 " "
- 42.00 to good bottom land
- 61.87 a B. Oak 20 in. diam.
- 76.60 a Beech 14 " "
- 80.00 Set post Cor. to Sec. 1 & 12, T. N. R. 4 W., from which
a Gum 22 in. diam. - bear S 81 W 31 lks. dist. of
a Beech 15 " " " S 56 E 17 " "
- Sandy hill (muddling soil, timber Oak, Beech &c.

North On E. boundary of Sec. 1, T. N. R. 4 W

- 18.42 a Sugar 10 in. diam.
- 40.00 Set q. Sec. post, from which

ch. lks

- a Sugar 9 in. diam. bray N33W 21 lks. dist. of
 a Do. 10 " " " S38W 22 " "
 43.00 a Creek 40 lks. wide Course W.
 52.02 a Sugar 12 in. diam.
 55.89 a W. Ash 14 " "
 58.37 a Beech 16 " "
 80.00 Set post Cor. to Township 1 of 2 North, of Range
 3 of 4 West, from which
 a W. Oak 11 in. diam. bray S33E 12 lks. dist. of
 a B. Walnut 18 " " " West 14 " "
 Good Soil of hill land, timber Beech, Oak, Ash,
 Sugar, Poplar &c.
 Surveyed By Levi Barber, D.S.

Subdivision.

Monday November 19th 1804

North Between Sec. 33 of 34, T.N. R3W

- 8.00 a Creek 50 lks. wide Course W.
 12.64 a Sugar 16 in. diam.
 23.00 to a good Beech bottom
 40.00 Set q. Sec. post, from which
 a Sugar 12 in. diam. bray N26W 35 lks. dist. of
 a Do. 14 " " " S44E 20 " "
 44.65 a B. Oak 20 " "
 61.75 a Road to Vincennes
 80.00 Set post Cor. to Sec. 27, 28, 33 of 34, from which
 a Beech 10 in. diam. bray N32W 13 lks. dist. of
 a Do. 16 " " " S52E 38 " "
 This mile is of good Soil hill land, timber Sugar,
 Beech, Oak &c. (For Continuation See page 162)

A. R. P. 377. 2nd. Mer. Indiana

John Page is to remain White, or at least
no person has any business to write on it
S. M.

Comp.

T. A. 1. A. R. A. 3. M. 2nd Mer Ind.

~~bears N. 32. M. 13. lbs. dist. 8a 16. in. diam.
 " 52. E. 38. " " ; This mile is good soil of
 hill Land; Timber. Sugar. Beech. Oak. &c. &c.~~

East On a Random line Between Che? 27. & 34. T. 1. A. R. 3.
 17. 00 To a Run 7. lbs. wide. Course S. 20. E.
 38. 00 To a Run 6. " " " " " "
 40. 00 Set a Temporary post for the Cor. to 1/4 Che
 43. 00 To a Brook 16. lbs. wide; Course E.
 50. 00 Set a Post for the Cor. to Che? 26. 27. 34. & 35.
 Good Soil of Hill Land; Timber Oak. Hick. & Logwood

North Between Che? 34. & 35. T. 1. A. R. A. 3. M.
 14. 55 To a W. Oak 16. in. diam. stands in the line.
 23. 00 To a Spring Run Course N. Soil as before.
 29. 00 To a Brook 60. lbs. wide; Course N.
 31. 97 To a Beech 18. in. diam. stands in the line.
 40. 00 Set a post for the Cor. to 1/4 Che. from which a Beech
 12. in. diam. bears N. 21. M. 22. lbs. dist. 8a 16.
 10. " " " " 42. M. 10. " "
 53. 83 To the Road to Vincennes. Course E. & N.
 54. 18 To a W. Oak 10. in. diam. stands in the line; Good soil of Beech Bottom
 62. 56 To a W. Oak 18. " " " " " "
 80. 00 Tell 25. lbs. M. 10. lbs. N. of the Post. Set a Post for the
 Cor. of Che? 26. 27. 34. & 35. T. 1. A. R. 3. M. from which
 a Beech 10. in. diam. bears S. 21. E. 16. lbs. dist. 8a
 10. " " " " N. 73. M. 15. " "
 This mile is a good quality of hill Land; Beech & Sugar.
 Oak. &c. Timber

East On a Random line Between Che? 26. & 35. T. 1. A. R. 3. N.
 40. 00 Set a Temp. post for the Cor. to 1/4.
 41. 00 To a Brook 10. lbs. wide. Course South
 65. 85 To a Brook 7. " " " " " "
 80. 00 To the post set for the Cor. of Che? 25. 26. 35. & 36.

T. N. 1. N. R. N. 3. M. 2nd Mer. Ind.

Good Soil of hill Land: Timber. Buck Oak. &c.

- North Between Sec. 35. & 36. T. N. 1. N. R. N. 3. M.
14. 22 To a Loblolly 60. in diam. stands in the line.
19. 00 Sharp hilly Land: Buck Timber.
27. 00 To a creek 50. yds. wide; coming from the E.
32. 00 Leave the said creek course S. W. creek Bottom.
40. 00 Get for the bar to 1/4 Sec. from which a Sugar 14 in. diam. bears N. 23. W. 26. yds. dist. & a Sec. 12. u
- u u G. 32. E. 9. u u
67. 00 Hilly Land: rich Land. Timber Sugar. &c.
72. 00 To a creek 50. yds. wide; course N.
80. 00 Was 24. yds. N. of the Soundum post. Get a post for the bar to Sec. 25. 26. 35 & 36. T. N. 1. N. R. N. 3. M. from which a W. Walnut 10. in diam. bears N. 23. W. 18. yds. dist.
- A Sugar tree 12. u u u G. 17. W. 14. u u
- The Land on this mile is Rich Bottom.

- East On a Soundum line Between Sec. 25. & 36. T. N. 1. N. R. N. 3.
7. 00 To a creek 40. yds. wide. course S.
15. 00 To Rich Bottom Land.
40. 00 Get a Temp. post for the bar to 1/4 Sec.
80. 00 Intersected the N. & E. line at the Post set for the bar to Sec. 25. 26. 35. & 36. T. N. 1. N. R. N. 3. M.
- Rich. gives Soil of hill Land: Sugar, Buck, Oak. &c.

- West On True line Between Sec. 25. & 36. T. N. 1. N. R. N. 3. M.
- Get a Post for the bar to 1/4 Sec. at the corner. dist. on True line from which a Buck 24. in. diam. bears N. 61. E. 43. yds. dist. & a Sec. 22. u u u
- M. 14. yds. dist.

- North Between Sec. 25. & 26. T. N. 1. N. R. N. 3. M.
2. 00 To the Road to Vincennes
3. 06 To a Buck 16. in. diam. stands in the line.
38. 73 To a Sec. 17. u u u u u u

T. N. 1. N. R. N. 3. W. 2nd Mer. Ind^a.

West Between Sec^s 28. & 33. T. N. 1. N. R. N. 3. W.
 40. 00 Good Soil of Hill Land.
 73. 80 To the Road to Vincennes
 75. 50 To a Grain 10. lbs. wide. Course N. W.
 80. 00 Set the Temp^t post for the Cor. to Sec^s 28. 29. 32. & 33.
 This mile is poor Hilly Land. Timber. Oak & Buck.

North Between Sec^s 32. & 33. T. N. 1. N. R. N. 3. W.
 13. 00 To Buck Bottom.
 28. 118 To a W. Ash 12. in? diam? stands in the line.
 36. 43 To a Buck 20. " " " " " "
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 12.
 in? diam? bears S. 64. W. 27. lbs. dist? & a Sec 30.
 " " " S. 72. E. 32. " "
 54. 34 To a Buck 11. in? diam? stands in the line
 59. 60 To a W. Oak 16. " " " " " "
 80. 00 Fell 22. lbs E. & 24. lbs. S. of the Standard Post. &
 set a Post for the Cor. to Sec^s 28. 29. 32. & 33. T. N.
 1. N. R. N. 3. W. from which a Buck 20. in? diam?
 bears N. 80. W. 17. lbs. dist? & a Sec 24. " "
 " S. 24. E. 5. " " This mile is steep hilly
 Land. Soil not very good; Timber. Oak. Buck &c.

West Between Sec^s 29. & 32. T. N. 1. N. R. N. 3. W.
 50. 00 To a Buck 60. lbs. wide; Course S Buck hilly Land steep
 63. 00 To Buck Bottom.
 70. 00 Buck Hilly Land; Good Soil.
 80. 00 Set a Standard post for the Cor. to Sec^s
 Good Run Bottom Buck Timber.

North Between Sec^s 31. & 32. T. N. 1. N. R. N. 3. W. 2nd Mer.
 5. 72 To a Gum 16. in? diam? stands in the line.
 23. 50 To a Buck 160. lbs. wide. Course W. Good hill Land. Buck.
 32. 03 To a Maple 16. in? diam? stands in the line.
 34. 00 To Bottom Land.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Buck 16.

T. N. 1. N. R. N. 3. W. 2nd Mer. Ind^a.

- in? diam? bears N. 81. E. 53. lbs. dist? & a Buck 14 in?
 " " N. 85. M. 30. " "
 47. 40 To a Buck 17 in? diam? stands in the line.
 53. 00 To a buck 60 lbs. wide. Course W. Good hill Land
 Timber. Buck. & Sugar.
 56. 22 To a M. Oak 24 in? diam? stands in the line.
 80 00 Set a Post for the line to Sec? 29 30 31 & 32. T. N. 1. N. R. 3.
 M. from which a M. Oak 26 in? diam? stands S. 25. E. 2.
 lbs. dist? & a Do 14 " " " N. 12. M. 36.
 " " This mile is Bottom Land; Timber. Buck. Oak. &c.

- West Between Sec? 30 & 31. T. N. 1. N. R. 3. M. 2nd Mer. line.
 40. 00 Set a Post for the line to 1/4 Sec. from which a Buck 12
 in? diam? bears N. 81. M. 14 lbs. dist? & a Do 12,
 " " " S. 80. E. 25. " "
 62. 00 To a Run 7 lbs. wide. Course S.
 80. 00 Trunc? no Range line: Set a Random Post. This mile
 is first into hilly Land. Timber. Buck. Sugar. Oak. &c.

- North Between Sec? 29 & 30. T. N. 1. N. R. 3. M. 2nd Mer.
 2. 87 To a Buck 18 in? diam? stands in the line
 15. 30 To the Corner to Vincennes
 22. 00 To a Buck 10 in? diam? stands in the line
 40 00 Set a Post for the line to 1/4 Sec. from which a
 Buck 10 in? diam? bears N. 30. M. 18 lbs. dist? & a
 Do 24 " " " S. 39. M. 10. " "
 69 15 To a Buck 16 in? diam? stands in the line
 79. 40 To a Do 20. " " " " "
 80. 00 Set a Post for the line to Sec? 19. 20. 29 & 30. T. N. 1. N. R.
 N. 3. M. from which a Buck 17 in? diam? bears S. 51. E. 16.
 & a Do 8 in? diam? bears N. 51. M. 3 lbs. dist?
 This mile is good hill Land. Timber. Oak. Buck. &c.

- East Correcting the line Between Sec? 29 & 32. T. N. 1. N. R. 3. M.
 & set a Post for the line to 1/4 Sec. from which a Sugar 13 in?
 bears N. 11. M. 22 lbs. dist? & a Do 8 in? diam? bears S. 20. M. 16 lbs. dist?

T. M. A. N. Co. N. 3. W. 2nd Mer. Ind^a.

East Corrected the line Between Sec^s 28. & 33. T. 1. N. R. 3. W.
 & set a post for the cor. to 1/4 Sec. from which a Poplar
 20. in^d diam^t. bears N 20. W. 5. lbs. dist. & a
 1/4 " " " S. 60. E. 10. " " No. 21st 1864

North Between Sec^s 27. & 28. T. 1. N. R. 3. W. 2nd Mer.
 7. 73 To a B. Oak 28. in^d diam^t. stands in the line.
 20. 88 To a W. Oak 16. " " " " " "
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Dogwood 6.
 in^d diam^t. bears N. E. W. 19 lbs. dist. & a B. Oak 20.
 " " " S. 25. W. 10. " "
 67. 00 To Clump Broken hills.
 73. 07 To a Sugar 10. in^d diam^t. stands in the line.
 74. 50 To a Buck 30. lbs. wide. Course S. 10. W.
 80. 00 Set a post for the cor. to Sec^s 21. 22. 27. & 28. T. 1. N.
 R. 3. W. from which a Buck 12. in^d diam^t.
 bears West 18. lbs. dist. & a S. 17. " "
 " N. 80. E. 34. " " Rich Bottom Land; in this
 mile; Timber. Sugar. Buck. &c. &c.

West Between Sec^s 21. & 28. T. 1. N. R. 3. W.
 27. 00 To Bottom Land as before.
 54. 50 To a Chain 12. lbs. wide; Course S. 20. E.
 62. 00 To good hilly Land lies well.
 80. 00 Set a Random post cor of Sec^s 20. 21. 28. & 29.
 Stop hilly Land. Good Soil. Timber. Sugar. Oak. &c.

North Between Sec^s 28. & 29. T. 1. N. R. 3. W.
 3. 40 To the Road leading to Vincennes.
 4. 00 To a Buck 10. lbs. wide. Course N. W.
 20. 79 To a Gum 16. in^d diam^t. stands in the line
 30. 00 To a buck 50. lbs. wide; Course S. W. Good soil; of Buck hill Land
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a
 Maple 12 in^d diam^t. bears N. W. E. 5. lbs. dist. & a
 Buck 18. " " " S. 26. W. 45. " "
 46. 60 To a Buck 10. in^d diam^t. stands in the line.

80. 00 Was 16. lbs. U & 18. links of the Random post. Chas post.
for the loc. of Gr. 20. 21. 28. & 29. T. N. 1. N. R. N. 3. M.
from which a Poplar 12. in. diam. bears N. 83. E. 16. lbs.
dist. & a Hickory 11. in. diam. bears S. 70. W. 31. lbs. dist.
Steep Hills. Good Soil. Timber Oak. Beech, Poplar, &c

North Between Gr. 20. & 21. T. N. 1. N. R. N. 3. M.
2. 90 To a Sugar 16. in. diam. stands in the line.
15. 86 To a Poplar 40. " " " " " " " " " "
40. 00 Set a Post for the loc. to 1/4 Gr. from which a Beech 16.
in. diam. bears S. 64. W. 30. lbs. dist. & a Do 16.
" " " " N. 79. E. 46. " " " "
44. 46 To a Beech 14. in. diam. stands in the line.
49. 76 To a Maple 14. " " " " " " " " " "
77. 15 To a Gum 12. " " " " " " " " " "
50. 00 Set a Post for the loc. to Gr. 16. 17. 20. & 21. T. N. 1.
N. R. N. 3. M. from which a W. Oak 12. in. diam.
bears S. 37. E. 46. lbs. dist. & a Do 18. " " "
" N. 32. W. 59. " " ; This mile is Steep
Broken hills, middling Soil. Timber Oak, Beech, Gum &c

West Between Gr. 20. & 29. T. N. 1. N. R. N. 3. M.
75. 60 To a Beech 16. in. diam. stands in the line.
79. 69 Intersecting the N. & S. line at the post set for the loc.
of Gr. 19. 20. 29. & 30. T. N. 1. N. R. N. 3. M. 2nd Mer.
This mile is Steep hills. poor Soil; Timber Oak. Beech &c.

West Between Gr. 19. & 30. T. N. 1. N. R. N. 3. M.
110. 00 Set a post for the loc. to 1/4 Gr. from which a W. Oak
16. in. diam. bears S. 62. E. 38. lbs. dist. & a Poplar
14. " " " " N. 25. W. 40. " " " "
80. 12 Intersecting the Range line 70. lbs. N. of the Post set
for the loc. of Gr. 24. & 25. T. N. 1. N. R. 4. M. from
which a Beech 12. in. diam. bears N. 36. W. 21. lbs. dist.
& a Do 15. " " " " S. 30. E. 44. " " "
This mile is middling Soil of Beech, hill Gum &c.

T. N. 1. N. Co. N. 3. W. 2nd Mer. Inda.

North Between Sec. 19. & 20. T. N. 1. N. Co. N. 3. W.

1. 34 To a Buck 18. in. diam. stands in the line

10. 91 To a Do 20. " " " " " "

11. 50 To a Grain 6. lbs. wide. Course S. E.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a
Buck 12. in. diam. bears S. 51. E. 32. lbs. dist. & a
Sugar 14. " " " S. 85. W. 26. " "

58. 00 To a Buck 10. lbs. wide. Course S. E.

64. 93 To a W. Oak 30. in. diam. stands in the line

80. 42 To a Buck 20 " " " " " "

80. 00 Set a Post for the Cor. to Sec. 17. 18. 19. 20. T. N. 1.
N. Co. N. 3. W. 2nd Mer. from which a Buck 14.
in. diam. bears S. 38. W. 19. lbs. dist. & a Do 14.
" " " N. 12. W. 18. " "

Land hilly: Soil middling: Timber Buck Sugar &c.

East Corrected the line Between Sec. 20. & 29. T. N. 1. N. Co.
N. 3. W. Set a post for the Cor. to 1/4 Sec. from which a
W. Oak 16. in. diam. bears S. 60. E. 16. lbs. dist. & a
Gum 14. " " " W. 28. " "

East Corrected the line Between Sec. 21. & 28. T. N. 1.
N. Co. N. 3. W. Set a post for the Cor. to 1/4 Sec. at
aver. dist. on true line: from which a Buck 14. in.
diam. bears N. 19. E. 44. lbs. dist. & a Do 10. "
" " S. 25. E. 11. " " Nov. 22. 1804.

East On a Random line Between Sec. 22. & 27.

7. 00 To a Buck 50. lbs. wide. Course S. W.

10. 00 " " " 50. " " " N. W.

22. 00 To a Do 50 " " " S. W.

40. 00 Set a Triangl. post for the Cor. to 1/4 Sec.

79. 84 Intersected the N. & S. line at the post set for the
Cor. to Sec. 22. 23. 26. & 27.

The Soil on this mile is good: Timber Buck Sugar &c.

T. R. A. B. A. B. M. 2nd Mu. Ind.

North Between Gre. 22 & 23. T. No 1. A. Co. No 3. M.

1. 43 To a Sugar 14. in. diam. stands in the line
11. 75 To a Beech 22. " " " " " "
34. 60 To a B. Oak 2 1/2 " " " " " "
40. 60 Set a Post for the bar. to 44 Sec. from which a Sugar
14 in. diam. bears N. 3. W. 26. lbs. dist. of a B. Oak
22. " " " S. 3. E. 1. " "
43. 60 Good Beech hill Land to Bottom.
52. 20 To a Beech 40. lbs. wide; course S. W.
53. 93 To a M. Ash 16. in. diam. stands in the line.
62. 60 To Good Bottom Land;
76. 18 To a M. Oak 16. in. diam. stands in the line.
80. 60 Set a Post for the bar. to Sec. 14. 15. 22. & 23. T. M. N.
Co. N. 3. W. from which a M. Oak 16. in. diam. bears
N. 47. E. 13. lbs. dist. of a Hickory 8. " " "
N. 72. W. 6. " " ; Middle Soil of hill Land.
Timber. M. Oak & Beech.

East On a Boarding line Between Gt. 23. & 26. T. M. A. B3.

40. 00 Gt a Temp^l post for the Dec. to 14 Che.
79. 70 Interpreted the N. Y. time 10. Mts. of the Post set
for the Dec. for Che. 23. 24. 25. & 26.
Sand Mill; middling Soil Timber. Oak, Buck, Dogwood.

North Belmar Sec. 23. 24. T. N. 1. N. R. 3. W. 2nd Mer

25. 96 To a Buck 12 in? diam? stands in the line.
40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a Buck 10.
in? diam? bears S. 70. E. 28. lbs. dist. 9a Sec. 10.
" " " N. 58. W. 3. " "
47. 68 To a M. Oak 10 in? diam? stands in the line
55. 00 To a Buck 10. lbs. wide. Course N. 70. W.
65. 25. To a M. Oak 17. in diam? stands in the line.
80. 00 Set a Post for the Cor. to Secs 13. 14. 23. & 24. T. 41. N.
To 3. M. from which a Buck 9 in? diam? stands N. 60.
W. 16. lbs. dist. 9a Sugar 12. " " " S. 76. W. 12.
" " ; This mile is Medling Gilt; Timber Oak & Buck.

T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.

East On a Random line Between Sec. 24. & 25. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 40. 00 Set a Temp^l post for the loc. to 1/4 Sec.
 60. 00 To a Buck 14 lbs. wide. Course S. E.
 79. 90 Intersected the Range line 12. lbs. S. of Post set for the loc. to Sec. 24. & 25. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 This mile is good Soil of hill Sand; Timber. Buck. Oak. &

West Connected the line Between Sec. 24. & 25. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 Buck 10. in. diam. bears S. 84. E. 21. lbs. dist. of a
 S. 12. " " " N. 58. W. 21. " "

West Connected the line Between 23. & 26. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 Set a post for the loc. to 1/4 Sec. at the aver. dist. on
 True line from which a Buck 10. in. diam. bears
 N. 61. W. 3. lbs. dist. of a B. Oak 24. " " "
 S. 54. E. 18. " "

West On the True line Between Sec. 22. & 27. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 Set a post for the loc. to 1/4 Sec. at the aver.
 dist. on True line from which a Buck 9. in. diam.
 bears N. 87. E. 33. lbs. dist. of a S. 12. " "
 " S. 69. W. 27. " "

West Between Sec. 13. & 24. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 40. 00 Set a Temp^l post for the loc. to 1/4 Sec.
 79. 75 Intersected the S. & U. line 8. lbs. S. of the Post set
 for the loc. to Sec. 13. 14. 23. & 24.
 This mile is good Soil of hill. & Buck Sand;

North Between Sec. 13. & 14. T. A. A. A. Co. A. B. A. C. A. D. A. E. A. F. A. G. A. H. A. I. A. J. A. K. A. L. A. M. A. N. A. O. A. P. A. Q. A. R. A. S. A. T. A. U. A. V. A. W. A. X. A. Y. A. Z.
 10. 00 To a Buck 18. lbs. wide; Course, N. " "
 19. 04 To a Buck 10. in. diam. standing in the line
 40. 00 Set a Post for the loc. to 1/4 Sec. from which a Buck
 7. in. diam. bears S. 59. W. 4. lbs. dist. of a W. Oak
 7. " " " N. 59. E. 3. " "

T. N. 1. A. B. N. 3. W. 2nd Mer. Ind.

41. 00 To a Buck 30 lbs. wide. Course I. M.
66. 39 To a Gum 19. in. diam. stands in the line.
71. 50 To a Buck 7. lbs. wide; Course I. E.
80. 00 Get a post for the Cor. to Sec. 11. 12. 13. & 14. T. N. E. A.
R. A. B. M. from which a Buck 22. in. diam. bears
S. 37. M. N. lbs. dist. 1/4 Sec. 14. " " "
N. 25 E. 24. " " ; On this side the Land is hilly:
Good Soil: Timber Oak. Sugar, Gum & Dogwood.

West On a Random line Between Dec. 14 & 23. T. 1. N. R. 3.

10. 50 To a creek 40. lbs. wide; Course S. M. Hilby Land.
23. 00 To good Bottom Land.
40. 00 Set a Temp^o post for the bar to 14 Sec.
79. 92 Intersected the N. Y. G. line 10. lbs. N. of the Post set for
the bar to lbs. 14. 15. 22. & 23. T. M. 1. N. To. M. 3. M.
Good Soil of Hill Land. Timber Oak. Buck. H. H.

East On True line Between Sho? 14 & 23. T. M. S. 3. M.
Get a Post for the bar to 14 Sho. at the over dist on True line
from which a Birch 18. ind. diam. bears U. 84 E. 24. M. dist.
Ae Sho 16. " " " S. 12. M. 21. " "

East On True line Between Yrs^o 13 & 24 T. M. 1. A. P. 3 M.
Yet a spot for the Cur. to 4th Ec. at the west end in True line
from which a Sugar 4 in^o diam^o bears North 6. lks dist
Ga Buck 18. " " " S. 1 M. 6. " "

North Between Dec. 21 & 22. T. N. 1 N. R. 13 M. 2nd mu

- B. 72 To a Swamp N. Oak 24 in? diam? stands in the line
5 00 To Bottom Lands.
20 50 To a Beech 18 in? diam? stands in the line
20. 75 To a Brook 12 lbs. wide course S.E.
37. 74 To a Beech 24 in? diam? stands in the line
46. 10 To a Port for the Canal 44 lbs. from which a Beech 9 in?
diam? bears N. 56. W. 20 lbs. dist. 9 ft. To 12. -
" " G. 71. E. 11. " "

T. N. 1. N. R. N. 3. M. 2nd Mer. Ind^a.

68. 22 To a Beech 18. in. diam. stands in the line.
 80. 00 Set a Post for the cor. of Sec? 15. & 16. 21. & 22. T. N. 1. N. R. 3.
 M from which a Beech 9. in. diam. bears S 73. M 15.
 lbs. dist. fr. M. Oak 16. " " " N 55 E. 10 lbs. dist.
 James Hilly Miffling Soil; Timber Oak Beech &c.

- North Between Sec? 15 & 16. T. N. 1. N. R. N. 3. M. 2nd Mer.
 14. 09 To a Poplar 28. in. diam. stands in the line.
 25. 62 To a M. Oak 11. " " " " " "
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Hickory
 24 in. diam. bears North 18 lbs. dist. fr. a Dogwood,
 7. " " " S 31. M. 20. " "
 47. 98 To a Beech 17 in. diam. stands in the line
 50. 54 To a M. Oak 22. " " " " " "
 80 00 Set a Post for the cor. of Sec? 9. 10. 15. & 16. T. N. 1. N. R.
 N 3. M from which a M. Oak 17. in. diam. bears S 28.
 M. 29. lbs. dist. fr. a B. Mahoe 14. " " " N. 38.
 E. 25. " " ; Steep hills: thin Soil: M. Oak Gum &c.

- East Between Sec? 15. & 22. T. N. 1. N. R. N. 3. M. 2nd Mer.
 35 00 To a Grain 12. lbs. wide; course S. E.
 39. 50 To a L. 10. " " " South
 40. 00 Set a Temp^y post for the cor. to 1/4 Sec.
 79. 50 Intersect of the N. & E. line 1. lbs. S. of the Post set
 for the cor. to Sec? 14. 15. 22. & 23. This mile there
 is good Soil of hill Land; Timber. Oak Beech & Poplar.

On True Line Between Sec? 15. & 22. T. N. 1. N. R. N. 3. M.
 Set a Post for the cor. to 1/4 Sec. at wester. dist. on True line
 from which a Gum 9 in. diam. bears N 47. E. 27. lbs. dist.
 fr. an Elm 9. " " " S 87. E. 56. " "

- North Between Sec? 14. & 15. T. N. 1. N. R. N. 3. M.
 10. 02 To a M. Oak 14 in. diam. stands in the line.
 24. 00 To a Beech 10. " " " " " "
 44. 00 Set a post for the cor. to 1/4 Sec. from which a Beech

T. M. A. C. B. N. J. M. L. Ind.

Bears N. 70. W. 4. lbs. div.

113. 7'1 To a Sassafras 14. in? diam? stands in the line
72. 6'4 To a B. Oak 18. " " " " " "
80. 00 Yet a Post for the line to Grd. N. 2. N. & 12. T. N. N. R.
N 3 M. from which a Gum 14. in? diam? bears N. 36. E.
10. lbs. dist. In Dogwood 7. in? bears S. 73. W. 30. lbs. dist
This mile is good hill Land: Timber. Birch. Oak. &c. &c.

West On a Sundown line Between Gr^o. 10. & 15. T. M. No 3.

110. 00 Out a Temp.^s post for the hour to 1/4 Sec.
79. 90 Induced the A. & U. line at the post set for the hour of
Dec. 9. 10. 15. & 16. T. A. 1. & Sec. A. 3. M.

One True line Between Sec^o 10. & 15. T. 1. N. R. 3. W.

Get a post for the bear. to 1/4 Sec. at the aver. dist. on True
line from which a Buck 10. in. diam. bears E. 3/4 W. S.
dist. of a Do 1. in. diam. bears N. 40. W. 1/4 lbs. dist.

Apr 24th 1864

West On a Random line Between Gr. 21 & 16. T. 1. N. 3. W.

40. 00 Gt. a Temp. 3 post for the bar. do 44 Gr.
50. 75 To a Granu C. Mer. mile. house V. 20. M.
50. 20 Induscted the N. of V. line at the post set for the bar. do
Gr. 16. 17. 20. & 21. This mile is good hill Land.
Timber. Birch. Oak &c. &c.

North Between Decr 16. & 17. T. N. 1. S. R. N. 3. M. 2nd Mer

3. 42 To a B. Oak 24 in. diam. stands in the line
19 01 To a Birch 10. " " " " " "
34. 32 To a Sugar 9. " " " " " "
40. 01 Get a post for the bar. to 1/4 Sec. from which a Sugar
Birch 14 in. diam. bears N. 22 E. 27. lbs. dist. 8 ft.
To 10. " " " 9. 10. M. 16. " "
80. 01 Get a post for the bar. to Sec. E. 9. 16. & 17. T. N. 1. N. Sec.

T. A. 1. A. B. A. 3. M. 2nd Mer. Ind. 4.

N. 3. M. from which a Sugar 9. in. diam. bears N. 11. E. 15. lbs. dist. of a Buck 10. in. bears South 13. lbs. dist. This mile is good Buck. hill Land.

West Between Sec. 17. & 20. on a Random line T. A. 1. A. B. 2. M.
 11. 00 Set the Temp. post for the bar. to 1/4 Sec.
 79. 90 Intersected the N. & S. line 6. lbs. S. of the Post set for the bar. to Sec. 17. 18. 19. & 20. Good Buck. hill Land.

East West on True line Between Sec. 17. & 20. T. A. 1. A. B. 3. M.
 Set a Post for the bar. to 1/4 Sec. at even. dist. on True line from which a M. Oak 10. in. diam. bears S. 75. N. 49. lbs. dist. of a B. Mahant 9. in. " " N 32 E. 22. lbs. dist.

East On True line Between Sec. 16. & 21. T. A. 1. A. B. 3. M.
 Set a Post for the bar. to 1/4 Sec. at the even. dist. on True line from which a Sugar 10. in. diam. bears S. 48. E. 24. lbs. dist. of a S. 5. in. diam. bears N. 76. E. 37. lbs. dist.

West Between Sec. 18. & 19. T. A. 1. A. B. 3. M.
 11. 11 Set a Post for the bar. to 1/4 Sec. from which a Buck 13. in. diam. bears S. 67. N. 7. lbs. dist. of a Sugar 14. " " " S. 85 E. 23. " "
 50. 13 Intersected the Range line 56. lbs. N. of the Post in Range 4. & set a Post from which a Buck 13. in. diam. bears N. 40. E. 36. lbs. dist. of a S. 15. in. diam. bears S. 13. N. 16. lbs. dist.; Good hill Land; Timber, Oak. Buck & Maple

North Between Sec. 17. & 18. T. A. 1. A. B. 3. M.
 15. 62 To a Buck 18. in. diam. stands in the line
 30. 35 To a Sugar 12. " " " " " "
 40. 00 Set a Post for the bar. to 1/4 Sec. from which a M. Ash 8. in. diam. bears N. 45. N. 17. lbs. dist. of a Sugar 10. " " " S. 34 E. 24. " "
 50. 42 To an Elm 14. in. " " stands in the line
 65. 76 To a Buck 14. in. " " " " " "

T. N. 1. N. B. N. 3. M. 2nd Mer Ind^a.

75. 00 To Hilley Land. Soil & Timber the same as above.
 80. 00 Get a Port for the bar to Sho? 7. 8. 17. & 18. T. N. 1. N. B.
 N. 3. M. from which a Buck 9. in? diam? bears
 24. M. 20. lbs. dist? Ju. 30. " " " N.
 78. E. 40. " " ; Good Stern Bottoms.

West Between Sho? 7. & 18. T. N. 1. N. B. N. 3. M. 2nd Mer.
 40. 00 Get a Port for the bar to 44 Sho. from which a Buck 10.
 in? diam? bears S. 73. M. 6. lbs. dist? Ju. 30. " " " S.
 " " " S. 57. E. 21. " " "
 44 00 To a Buck 14. lbs. wide. Course N.
 50. 06 Intersecting the Range line 19. lbs. N. of the Port in
 the 4th Range. Get a Port bar of Sho? 7. & 18. T. N. 1. N. B.
 N. 3. M. from which a Buck 6. in? diam? bears N.
 55. E. 17. lbs. dist? Ju. 30. " " " S.
 55. M. 34. " " Land hilly. Timber Buck & Oak.

East On a Random line Between Sho? 8. & 17. T. N. 1. N. B. N. 3. M.
 3. 00 To a Buck 12. lbs. wide. Course N. M.
 41. 00 Get a Temp^o port for the bar to 44 Sho.
 50. 19 Intersecting the N. & S. line 24. lbs. N. of the Port, bar of
 Sho? 8. 9. 16. & 17. The mile is good hill Land.
 Timber Sugar & Buck. Oak &c.

On a True line Between Sho? 8. & 17. T. N. 1. N. B. N. 3. M.
 Get a Port for the bar to 44 Sho. at the area. dist? on True
 line from which a Buck 12. in? diam? bears N. 67. M.
 14. lbs. dist? Ju. 30. M. Oak 11. " " " S. 28. M. 29.
 lbs. " No. 29. " Sail for the Day.

East On a Random line Between Sho? 9. & 16. T. N. 1. N. B. N. 3. M.
 41. 00 Get a Temp^o port for the bar to 44 Sho.
 50. 16 Intersecting the N. & S. line 10. lbs. N. of the port set
 for the bar to Sho? 9. 10. 15. & 16. T. N. 1. N. B. N. 3. M.
 The first 66. chains is good hill Land; The balance
 is steep hills. Timber Oak & Buck.

West Am True line Between Gr^d. 9. & 16. S. 11. 1. E. 3. M.
 Gr^d. 1. Post for the Gr^d. 11. 1. Gr^d. at even. dist. in True line
 from which a Bunch 15. in^d. diam^r. bears N. 19. E. 11. 1. dist.
 In August 14. " " " S. 26. E. 33. 1. 1. dist.

With Between Gro? 9. & 10. T. M. 1. A. B. 3. M.
25. 00 To a Brook 12. lbs wide. Course N. W.
36. 02 To a M. Oak 12. in. diam. stands in the line.
44. 00 Set a Post for the line at 1/4 Gro. from which a B. Oak 17. in.
diam. bears S. 24. W. 6. lbs dist. To M. Oak 12. in. diam.
bears N. 32. E. 36. lbs dist.
60. 65 To a B. Walnut 22. in. diam. stands in the line
76. 21 To a M. Oak 24. " " " " "
77. 00 To a Brook 12. lbs wide Course M.
80. 00 Set a post for the line at Gro? 3. 4. 9. & 10. T. M. 1. A. B. 3. M.
from which a M. Oak 14. in. diam. bears S. 67. W. 26.
lbs. dist. To S. 14. in. " " S. 85. E. 18. lbs. dist.
This mile is good hill Ground. Oak. Hickory & Walnut.

West On a Random line Between Ches. & G. T. M. R. 3 M.
40. 00 Set a Temporary post for the bar to 44 Ches.
42. 00 To a Brook 25. lks with. Course N. W.
54. 50 To a Brook 7. - - - North.
86. 00 Intersected the N & G line at the post set for the bar of Ches.
1. 5. 8. & 9. This mile is good hill June 8. Timber. M. Oak

East On True line Between Sec¹. 11. & 9. T. 101. N. R. 3. 11.
Set a Post for the Cor. to 1/4 Sec. at the same dist. on true
line from which a Gauge 17. in. diam. bears N. 25 E. 24.
The dist. of a 10. in. diam. bears 25. N. 24. Nks. dist.
Nov 26. th 1804

North Between Dec. 8. & 9. T. M. 1. A. No. 3. M. Graham.
12 04 To a Birch & lvs. w. de. house M.
14 00 To Small Grain. " G. N. M.
21. 68 To a Birch 10 in. diam? stands in the line.

T. M. A. N. Co. N. 3. M. 2nd Mer. Ind^a

- 25.04 To a M. Oak 24. in. diam. stands in the line.
 40.00 Get a post for the cor. to 44 Che. from which a M. Oak 16. in. diam. bears S. 16. N. 35. W. dist. 4 a Co. 14.
 " " " N. 16. E. 44. " "
 50.88 To a Beech 16. in. diam. stands in the line.
 73.69 To a Poplar 12. " " " " " "
 76.31 To a M. Oak 10. " " " " " "
 80.00 To the post set for the cor. to Che. 45. E. & 49. T. M. A. N. Co. N. 3. M. from which a M. Oak 13. in. diam. bears S. 30. E. 30. W. dist. 4 a Co. 20. in. diam. bears N. 40. E. 52. W. dist. This mile is fast rate hill Land; Timber. Oak. Ash. Poplar. Beech & Sugar.

*

- West On a Bound line Between Che. 5. & 8 T. M. A. N. Co. N. 3. M.
 40.00 Get the Temp^r post for the cor. to 44 Che.
 80.00 Intersected the N. & S. line at the post set for the cor. to Che. 5. 6. 7. & 8. This mile is Milling Soil of hill Land; Timber. Oak. Beech. &c. &c.

On a True line Between Che. 5. & 8 T. M. A. N. Co. N. 3. M.
 Get a post for the cor. to 44 Che. at uncor. dist. on True line from which a Beech 10. in. diam. bears S. 11. E. 15. W. dist. 4 a Co. 14. " " " N. 60. W. 17. W. dist.

- West Between Che. 6. & 7. T. M. A. N. Co. N. 3. M.
 110.00 Get a post for the cor. to 44 Che. from which a Sugar 10. in. diam. bears N. 41. W. 25. W. dist. 4 a Co. 10. " " " S. 2. E. 17. " "
 79.80 To the post set for the cor. of Che. 1. & 2. T. M. A. N. Co. N. 4. M. near cor. of Che. 6. & 7. T. M. A. N. Co. N. 3. M.
 This mile is a good quality of Hill Land; Timber. Oak. Beech. Sugar & Poplar.

- North Between Che. 5. & 6. T. M. A. N. Co. N. 3. M.
 30.00 Hill Land To Bottom.
 38.00 To a Beech 40. W. side. square M.

T. N. A. N. R. N. B. M. 2nd Mer. Ind.

110. 00 Get a Post for the loc. to 1/4 Sec. from which a
Beech 10. in? diam? bears S. 44 E. 53. lks. dist. & an
Elm 3. " " " N. 77. W. 27. " "
This post stands in said Creek.
115. 00 Bottom Land: Large Spring comes out at the foot of hill
60. 88 To a Beech 8. in? diam? stands in the line
65. 65 To a M. Oak 12. " " " " " "
50. 00 Get the Temporary post. Cor. of Sec 5 & 6.
This mile is midling Soil of Hill Land. Timber, Oak, Beech

- 111th Between Sec? 4. & 5. T. N. A. N. R. N. B. M. 2nd Mer
24. 16 To a M. Oak 26. in? diam? stands in the line.
34. 50 To a Brook 25. lks. wide course N.
110. 00 Get a post for the loc. to 1/4 Sec. from which a M. Oak 18.
in? diam? bears S. 83. E. 19. lks. dist. & a Beech 17.
" " " N. 88 E. 14. " "
58. 21 To a M. Oak 14. in? diam? stands in the line.
50. 00 Get the Temp^y post for the loc. to Sec? 4. & 5. T. N. A. N.
R. N. B. M. from which Sand, lilly; Midling Soil.
Timber. Oak. Dogwood &c.

- East On a Steam line Between Sec? 3. & 10. T. N. A. N. R. N. B. M.
110. 00 Get a Temp^y post for the loc. to 1/4 Sec.
50. 00 Intersect of the N. & S. line at the post set for the loc.
of Sec? 2. 3. 10. & 11. T. N. A. N. R. N. B. M. 2nd Mer.

- West On True line Between Sec? 3. & 10. T. N. A. N. R. N. B. M.
- Get a post for the loc. to 1/4 Sec. at the over. dist. in True line
from which a M. Oak 14. in? diam? bears N. 52. E. 80. lks. dist.
& a Sec 14. " " " N. 20. W. 31. " "

- North Between Sec? 10. & 11. T. N. A. N. R. N. B. M. 2nd Mer.
19. 60 To a M. Oak 40. in? diam? stands in the line
28. 50 To a Gum 13. " " " " " "
110. 00 Get a post for the loc. to 1/4 Sec. from which a Hickory:
16. in? diam? bears N. 85. W. 22. lks. dist. & a M. Oak.

T. N. 1. N. R. N. 3. M. 2nd Mer. Inda.

14. in? diam? bears N. 85 E. 23. lbs. dist.

58. 60 To a Poplar 20. in? diam? stands in the line.

71. 06 To a Birch 8. " " " " " "

74. 50 To a Run 6. lbs. wide; course N. E.

80. 00 Set 20. lbs. S. of the post for the cor. to Sec? 2, 3.

10. & 11. T. N. 1. N. R. N. 3. M. from which a

Birch 10. in? diam? bears S. 30. M 35. lbs. dist. & a

Sec. 10. " " " " N. 74. E. 31. " "

High Hilly Land. Thin Soil; Timber Oak. Birch &c.

North Between Sec? 2. & 3. T. N. 1. N. R. N. 3. M.

34. 00 To a Small Run. course N. E.

35. 19 To a Sugar 14. in? diam? stands in the line

39. 30 To a Birch 16. " " " " " "

40. 00 Set a post for the cor. to 1/4 Sec. from which a

Birch 17. in? diam? bears N. 16. E. 13 lbs. dist. & a

M. Oak 11. " " " " S. 10. M. 21. " "

48. 00 To a Birch 16 lbs. wide; course N. from S. 15. E.

60. 00 Left the Sugar Brook. " " N. M.

80. 00 Set a Temp? post cor. of Sec? 2. & 3.

This mile is Birch & plang; Midding Soil.

East On a Bound line Between Sec? 2. & 11. T. 1. N. R. 3.

11. 00 To a Small Run. course N.

118 00 Set a Temp? post for the cor. to 1/4 Sec.

44. 00 To a Birch 8. lbs. wide. course. N. M.

79. 97 Intersected the N. & S. line 4 lbs. S. of the Post.

This mile is good hill Land; Timber Oak. Birch? Birch &c.

On the True line Between Sec? 2. & 11. T. 1. N. R. 3. M.

Set a post for the cor. to 1/4 Sec. at the area. dist. on

True line from which a Poplar 8. in? diam? bears

S. 21. E. 6. lbs. dist. & a Sec. 8. in? diam? bears S. 21. E. 6. lbs. dist.

North Between Sec? 1. & 2. T. N. 1. N. R. N. 3. M. 2nd Mer.

5. 96 To a Run 14. in? diam? stands in the line.

T. N. A. A. Co. N. B. M. Ind. New. Ind.

12. 21 To a Sugar 8. in? diam? stands in the line.
 40. 00 Set a post for the cor. to 1/4 Che. from which a
 Gum 20. in? diam? bears N. 48. E. 5. Mts. dist? & a M.
 Mahmit 12. u u u N. 66. M. 26. u u
 15. 19 To a Gum 22. in? diam? stands in the line.
 80. 00 Set a Temp? post for the cor. of Sec? 1. & 2. T. N. A. A. Co.
 N. B. M. This mile is good Soil. Steep hills;
 Timber. Oak, Beech. & Hickory.

- East On a Standard line Between Sec? 1. & 12. T. N. A. A. Co. N. B. M.
 63. 00 To a Brook 7. Mts wide; course N.
 80. 06 Intersecting the Range line 6. Mts. E. of the Post.
 Steep hills withing Soil. Timber, Oak. Birch & Hickory

- West On the True line Between Sec? 1. & 12. T. N. A. A. Co. N. B. M.
 Set a post for the cor. to 1/4 Che. at the area. dist? on True
 line, from which a Poplar 10. in? diam? bears S. 61. E.
 11. Mts. dist? & a Do 9. in? diam? bears N. 61. M. 14. Mts dist?

- North Between Sec? 3. & 4. T. N. A. A. Co. N. B. M. Ind. New.
 4. 72 To a Oak 14. in? diam? stands in the line.
 35. 46 To a Beech 12. u u u u u u
 140. 00 Set a post for the cor. to 1/4 Che. from which a Dogwood 6.
 in? diam? bears N. 54. M. 14. Mts. dist? & a B. Oak 18.
 u u u S. 84. E. 3. Mts. u.
 80. 00 Set a Temp? post for the cor. to Sec? 3. & 4. T. N. A.
 A. Co. N. B. M. Good Soil of hill Land; Oak. & Beech.

74. 94 Set a post for the cor. of Sec? 2. & 3. T. N. A. A. Co. N. B. M.
 from which a Beech 14. in? diam? bears N. 15. E. 24. Mts.
 dist? & a Do 16. u u u u 63. E. 27. Mts dist?

74. 97 Set a post for the cor. of Sec? 1. & 2. T. N. A. A. Co. N. B. M.
 from which a B. Oak 36. in? diam? bears S. 53. E. 7. Mts. dist?
 & a Sugar 7. u u u u N. 53. M. 27. u u

T. N. 1. N. Co. N 3. W. 2nd Mer. Ind^a.

Get a post for the Cor. to $\frac{1}{4}$ Sec. in the N. Boundary
of Sec. 1. T. N. 1. N. Co. N 3. W. from which a
M. Oak 20. in. diam. bears S. 51. W. 34. lbs. dist. & a
Do. 16. " " " N. 25. E. 43. " "

Get a post for the Cor. to $\frac{1}{4}$ Sec. in the N. Boundary
of Sec. 2. T. N. 1. N. Co. N 3. W. from which a
Sugar 14. in. diam. bears S. 21. W. 28. lbs. dist. & a
Do. 14. " " " N. 23. E. 49. " "

Get a post for the Cor. to $\frac{1}{4}$ Sec. in the N. Boundary of
Sec. 3. T. N. 1. N. Co. N 3. W. from which a
Maple 10. in. diam. bears W. 10. lbs. dist. & a
Do. 4. " " " S. 70. E. 14. lbs. dist.

80. 00 Get a post for the Cor. to Secs 3. & 4. T. N. 1. N. Co. N 3.
W. from which a Buck 4. in. diam. bears N. 33.
W. 14. lbs. dist. & a Do. 7. in. diam. bears S. 71 E. 20. lbs. dist.

Get a Post for the Cor. to $\frac{1}{4}$ Sec in the N. Boundary.
T. N. 1. N. Co. N 3. W. from which a M. Ash 10. in. in
diam. bears S. 51. W. 26. lbs. dist. & a Dogwood 6 " "
" " S. 35. E. 15. " "

74. 85 Get a post for the Cor. to Secs 4. & 5. T. N. 2. N. Co. N 3.
W. from which a M. Ash 7. in. diam. bears N. 10. E. 22. lbs. dist.
& a Do. 12. " " " S. 34. W. 12. " "

Get a Post for the Cor. to $\frac{1}{4}$ Sec. in the N. Boundary of
Sec. 5. T. N. 1. N. Co. N 3. W. from which a
Maple 12. in. diam. bears N. 14. W. 23. lbs. dist. & a
M. Oak. 15. " " " S. 9. W. 14. " "

80. 03 Get a post for the Cor. of Secs 5. & 6. T. N. 1. N. Co. N 3.
W. from which a Sugar 10. in. diam. bears N.
33. W. 10. lbs. dist. & a Buck 7. in. bears S. 5. E. 11. lbs. dist.

T. N. 1. N. 2. N. 3. N. 4. 2nd Mer. Ind. a.

Set a post for the Cor. to 1/4 Sec in the N. Boundry
of Sec. 6. T. N. 1. N. 2. N. 3. N. 4. from which a
Beech 10. in? diam? bears N. 47. W. 9. lks. dist. &c.
Go 11. " " " S. 32. E. 7. " "

Guaranteed by.

Geo Barber.

I certify that the foregoing transcript of the field
notes of Township N. 1. N. 2. of Range N. 3 West
of the 2nd Mer. Indiana, has been compared with the
Original notes in this Office, and found to be correct.
Surveyor General's Office,
Cincinnati, Dec. 20. 1834

E. D. R. Jones Sur. Genl.

- * North Between Secs 7. & 8. T. N. 1. N. 2. N. 3. N. 4. 2nd Mer.
1. 00 To a Brook 16. links wide; Course. N. W.
 5. 44 To a Beech 10. in? diam? stands in the line
 14. 21 To a Do 16. " " " " " "
 40. 00 Set a post for the Cor. to 1/4 Sec. from which a Beech
12. in? diam? bears N. 79. E. 6. links. dist. &c. Go
11. " " " S. 37. W. 12. " "
 41. 50 To a Brook 16. links wide; Course. W.
 59. 49 To a Beech 10. in? diam? stands in the line.
 68. 44 To a Sugar tree 12. " " " " " "
 80. 00 Set 3. lks. N. of the post set for the Cor. to Secs 5. 6. 7. 8.
T. N. 1. N. 2. N. 3. N. 4. from which a
Beech 10. in? diam? bears N. 71. W. 30. links. dist. &c.
Go 10. " " " N. 70. E. 17. " "
Soil and Timber the same as above.